

Project
Schedule / Date
Notes
Catalog Number

**Product Description**

With a full array of R and BR lamps, naturaLED® offers a variety of replacements for incandescent lamps. These direct replacement lamps may be used for your decorative lighting. They are free of mercury and lead, UL listed and dimmable.

Our R and BR lamps are available in 7W – 18W (replacing up to 120W), a standard medium base (E26), and 90 CRI.

naturaLED® lamps are an ideal lighting solution for track lights, display lights, hotel boutiques, residential, retail, museum lighting and hospitality applications.



**Features & Benefits**

- ▶ Energy Star Certified
- ▶ CEC / JA8-2016
- ▶ Direct replacement and Instant-On
- ▶ Up to 84% energy savings
- ▶ Contains no mercury or lead
- ▶ UL/cUL Listed
- ▶ Rated 25,000 hours average life
- ▶ Material: Polycarbonate

**Applications**



- ▶ Display Case Lighting
- ▶ Recessed Downlight
- ▶ Accent Lighting
- ▶ General Lighting
- ▶ Residential Lighting
- ▶ Restaurant Lighting

**Specifications**

- ▶ Input Line Voltage: 120
- ▶ CRI: 90
- ▶ Dimmable
- ▶ Powerfactor >0.9
- ▶ Beam Angle: Flood
- ▶ Operating temperature: -4°F ~ 104°F



Ordering Information


	Code	Description	CCT	Watt	Lumen	Equiv Wattage	Base	CRI	Shape	Dim	Rated Hrs		
R20	5834	LED8R20/50L/927	2700K	8	525	50	E26	>90	R20	Yes	25,000	•	•
	5982	LED8R20/52L/950	5000K	8	525	50	E26	>90	R20	Yes	25,000	•	•
BR30	5835	LED9BR30/65L/927	2700K	9	650	65	E2	>90	BR30	Yes	25,000	•	•
	* 5904	LED9BR30/81L/927	2700K	9	810	65	E26	>90	BR30	Yes	25,000	•	•
	5983	LED9BR30/71L/950	5000K	9	710	65	E26	>90	BR30	Yes	25,000	•	•
	5842	LED12BR30/90L/927	2700K	12	900	75	E26	>90	BR30	Yes	25,000	•	•
	5978	LED12BR30/90L/940	4000K	12	950	75	E26	>90	BR30	Yes	25,000	•	•
	5984	LED12BR30/95L/950	5000K	12	950	75	E26	>90	BR30	Yes	25,000	•	•
BR40	* 5905	LED11BR40/100L/927	2700K	11	1,000	90	E26	>90	BR40	Yes	25,000	•	•
	5836	LED15BR40/120L/927	2700K	15	1,200	90	E26	>90	BR40	Yes	25,000	•	•
	5985	LED15BR40/130L/950	5000K	15	1,300	90	E26	>90	BR40	Yes	25,000	•	•

\*New Updated as of Apr 2018

Product Dimensions


R20

Weight: 2.24-oz




BR30

Weight: 5.60-oz




BR40

Weight: 9.12-oz



Package


R20  
BR30



Package  
(Master)

20

BR40



Package  
(Master)

10